

(EN)

PURLINE WARM VAPOUR HUMIDIFIER MODELE HGC3

NOTE : It's important to clean your humidifier every week. Please check "Cleaning and Maintenance" section .



OWNER'S MANUAL

WinEurope - FRANCE

N° Indigo 0.825.875.532

Email : info@purline.com

Site : www.purline.com

THANK YOU FOR CHOOSING A PURLINE HUMIDIFIER.

Please read and keep this owner's manual before you start using your humidifier : retain for future reference. Your humidifier must be maintained properly to work satisfactorily.

INSTRUCTIONS

ATTENTION

- DO NOT introduce any foreign material into the vapour outlet nor into the vapour chimney.
- DO NOT move, DO NOT empty the humidifier while it is in operation. If the unit was knocked down you could be in danger of electrocution.
- Before plugging in the unit, please check the power supply cord and wall socket.
- While the unit is operating : DO NOT touch the unit, DO NOT bring your face close to the steam outlet you could be burnt.
- To avoid fire hazard be sure to use a wall socket in good condition.
- DO NOT immerse unit in water.
- Clean the unit once a week with a soft damp cloth.
- To avoid hazard of fire or shock, DO NOT fill in the unit while it is in operation.
- While cleaning the unit do not use another electric appliance close by.
- DO NOT block the air inlet / outlet while the unit is in operation.
- DO NOT place the unit in a spot where it could be overturn.
- DO NOT use any solvent to clean the unit, the colour would fade.
- DO NOT move the unit while it is operating, hot water could be spilled and you could be burnt.

HOW TO INSTALL THE UNIT

- Locate the humidifier OUT OF REACH of children.
- DO NOT use the unit near an electric heater, fireplace etc. the plastic materials from which the humidifier is built are **flammable**.
- DO NOT place the unit on a carpet the lack of ventilation could become dangerous.
- Install unit on a hard, level water resistant surface.

- DO NOT use the humidifier on or near furniture, nor too close to a ceiling : humidity could damage their finish.
- To avoid any possible spillage, or impair its function DO NOT place the humidifier on a slant or on an unstable surface .

PARTS LIST



SPECIFICATIONS

Model	HGC3
Type	Heating Element
Capacity	400 ml / Hour
Continuous Function	About 6 Hours
Recommended room size	40 m ² / 100 m ³
Water capacity	2,5 Litres
Rated Power Consumption	300 Watts + / - 15%
Dimensions	335 x 223 x 355 mm
Weight	1.4 Kg
Made in	P.R.C.
Accessory	REF PUR603 (5« scale-catcher » balls)

OPERATING INSTRUCTIONS

USE only clean and as soft as possible water.
Remove top cover


1. Remove reservoir cap and fill about 1/3 of the reservoir with tapwater.
2. Replace the reservoir cap and shake vigorously, empty the reservoir.
3. Fully refill the reservoir, replace the reservoir cap carefully, put back the reservoir in its location.
4. Insert the "catcher-scale" ball through the chimney opening.
5. Put back top cover.

Warning :

- DO NOT insert the water faucet into the steam outlet.
- DO NOT use water over 40°C.

Connect to a 230V / 50HZ wall socket.

CONTROL PANEL



WARNING

- To disconnect the humidifier, pull the plug not the power supply cord.
- Do Not use the unit if the plug or the power supply cord are damaged it could cause a short-circuit.
- Handle the power supply cord with care.
- Switch off and disconnect the unit when it is not running
- In order to avoid any hazard do not use the humidifier if the power cord is damaged, it should be replaced by the manufacturer or a qualified electrician.

DO NOT use the humidifier near any connected electrical equipment such as TV set, radio, record player etc. Switch off and disconnect the unit when the reservoir is empty.

CLEANING AND MAINTENANCE

ATTENTION

DO NOT use the humidifier if there is a scale build-up, if it is damaged, if there is no vapour output, if there is mildew or bad smells. It could be HARMFUL. DO NOT operate the unit in a polluted environment.

WEEKLY cleaning is recommended.

- Turn the unit off and unplug it. Allow water to cool down.
- Handle with care, do not let it fall it could break.
- Remove top cover, remove reservoir, remove reservoir cap.
- Empty the reservoir.
- With a soft cloth, some water and a mild detergent clean the reservoir inside and outside. DO NOT use abrasives. Rinse thoroughly.
- Once a week clean the unit in the same way as the reservoir, inside and outside with a soft damp cloth. Do not use abrasives.
- Use a good scale remover solution to clean away any scale deposits from the reservoir and the unit.
- Remove the vapour chimney.
- Empty remaining water if any, clean away scale deposits.
- Discard the " catcher-scale ball "
- Depending on the water quality it might be necessary to replace the « catcher-scale ball » from 7 to 10 days (ref. PUR603 : includes 5 balls).
- DO NOT immerse the unit.
- You may use the clean-away solution : DMS216 (half a cup= 125 ml).
- Soak for a minimum of 20 minutes to a maximum of 30 minutes.
- DO NOT operate unit while it is soaking in clean-away solution.
- Empty, rinse thoroughly.
- Place a new « scale-catcher ball » through the chimney opening, fill reservoir with clean water, close it carefully, put it back in its cavity.
- Replace top cover.
- Handle the humidifier with care.

STORAGE


1. Clean your humidifier as instructed in the section CLEANING AND MAINTENANCE .

2. Remove all scale, rinse properly, dry thoroughly inside and outside.
3. Put the unit back in its original packaging. Store away in a dry place.

TROUBLE-SHOOTING

PROBLEMS	PROBABLE CAUSE	SOLUTION
Power On LED not illuminated	-Unit not plugged in -Power failure	- Plug in unit - Check fuse
Low Moist air output	-Scale build-up in cavity	- Remove scale
Water Leaks	-Improperly placed tank cap -Damaged water tank,cap.Damaged joint	-Lock water tank properly -Replace

DIAGRAM



Power plug
 Switch of humidifying capacity
 Power switch
 Water level check component
 The temperature-indicating & Regulating equipment
 Fuse
 Evaporator

Power Consumption : (Low Steam Output) 150watts
 (High Steam Output) 300watts

WARNING : THIS HUMIDIFIER IS RECOMMENDED FOR USE IN HOUSES AND OFFICES.

Guarantee : 1 year from date of purchase.
 TO BENEFIT FROM THE GUARANTEE THE BUYER MUST RETURN THE UNIT FREIGHT PRE-PAID TO THE RETAILER WITH ITS PROOF OF PURCHASE.

