

(EN)

PURLINE

IONIZER HUMIDIFIER

HUMY6M



Owner's Manual

WinEurope France.

 **0.825.875.532**

Email : info@purline.com

Internet : www.purline.com

CONGRATULATIONS !

Congratulations for choosing a PURLINE Humidifier. This Owner's Manual includes important instructions about using and maintaining your humidifier.

WARNING: DO NOT DEPEND ON THE ON/OFF BUTTON AS THE SOLE MEAN OF DISCONNECTING POWER WHEN SERVICING OR MOVING THE HUMIDIFIER ALWAYS UNPLUG THE POWER CORD AFTER SWITCHING THE UNIT OFF.

PLEASE READ AND RETAIN FOR FUTURE REFERENCE.

Read carefully before attempting to install, operate or maintain the humidifier. When using any electrical appliance, basic safety precautions should be followed.

1. Prior to using humidifier :

- Check the power supply cord for signs of damage (do not use if there are signs of frayed or exposed wires)
- Do not use an extension cord.
- Do not operate humidifier without water in the tank

2. Where to place your humidifier :


- Place humidifier on a firm, flat, level, water resistant surface.
- Place humidifier away from heat sources (stoves, radiators and heaters can damage the unit).
- Place humidifier in an area where it is not accessible to children and with the power cord positioned to avoid being pulled on, or tripped over.
- The unit must be placed away from any surface that could be deteriorated by the damp airflow (ceiling, wall, paintworks etc..)

3. Safety precautions:

- Always unplug (with dry hands) and empty humidifier before servicing or cleaning. Never turn on the power head while it is removed from the base.
- Avoid handling the humidifier while it is operating. Never tilt it.
- When not in use, switch off and unplug the humidifier. Empty, clean and dry thoroughly the water tank, fold the power supply cord.
- Pack the unit in its original carton and store in a cool, dry place.

Schematic illustration:

- 1) Cold mist spray mouth
- 2) Water tank
- 3) Water flume
- 4) Transducer
- 5) Humidistat
- 6) Moisture spray adjustment
- 7) Power switch for ionizer
- 8) Power switch
- 9) Power cable
- 10) Protection switch when tank empty
- 11) Water-inlet
- 12) Handle



- Plastics made with “Nanometer” technology for anti-fungus, anti-bacteria benefits.

Technical Parameters :

Model : HUMY6M

Moisture capacity : from 50 ml/h to 400 ml/h

Water tank capacity : 6 L

Rated voltage : 230 V


Rated frequency : 50 Hz

Rated power : 45 W

Description :

- Elegant and attractive unit
- Easy to clean, streamline design, less minerals deposits.
- Ultrasonic Humidification with high frequency vibratory.
- Purifies air with negative ion emitted in the central column. The ion emission is spread in the air with the cold steam fog.
- Silent because of its “shaded pole” motor and advanced design air flow system.
- Safe to use, shut off automatically when water tank is empty.

Electric Diagram :



1. Condensor
2. Fuse
3. Power switch
4. Power indicator light
5. Motor
6. Ionizer indicator
7. Ionizer generator
8. Regulation resistance for mist adjustment
9. Master control panel
10. Water-level sensor
11. Transducer
12. Regulation resistance for moisture adjustment
13. Moisture adjustment
14. Waterless indicator


Operating instruction:

- 1) Remove the dome cover from water tank.
- 2) Take out the water tank and put it upside down.
- 3) Unscrew the nut cap, fill the water tank with soft, cold and clean water (do not use hot water). Screw back the nut cap (tightly), put back carefully the water tank steadily on its base. Make sure it's in the correct position.
- 4) Place the machine on a hard, level, flat, water-resistant surface.
- 5) Place the dome cover straight on the water tank.
- 6) When the power switch is on, the unit starts to function.
- 7) Use the lower switch to adjust the
- 8) The left button allows to adjust the cold mist given out by the unit.
- 9) To keep the water tank clean use soft water.

Cleaning instructions:

Never immerse unit in water.

You must use soft water to avoid mineral deposits. (Humidification would not be as efficient with hard water). However, regular cleaning of the water tank is recommended:



Switch off then unplug the humidifier

- i) Empty water tank you can use mild soap and a soft brush or cloth to clean it. Rinse carefully with clean water.
- ii) In case of mineral deposit accumulation, (if hard water has been used) clean with a solution of water and vinegar.
(Remember: it is recommended to use soft water)
- iii) Rinse with clean tap water.
- iv) Wipe dry with soft cloth.

STORAGE :

- (1) Clean and dry the water tank thoroughly (as instructed in the section:” cleaning instructions”.
- (2) Be sure all components are dry. Do not leave any water in the reservoir. Fold power cord.
- (3) Pack the humidifier in its original carton and store in a cool, dry place.

WARNING : Any repair must be done by a qualified technician .

REMEMBER : **do not** use strong detergents, gasoline, alcohol and other organic solution to wipe the humidifier or the colour will fade.

WARRANTY: 1 year to first buyer

To insure of rights to warranty privileges, please insure to include with claim your proof of purchase showing purchase date.